| PATIENT NAME: | ID#: | DATE: | |
|--|---------------------------------|------------------------------------|-----------------------|
| Description : This survey is meant to help us obtain info | rmation from our patients regai | ding their current levels of disco | mfort and capability. |

Please circle the answers below that best apply

Please rate your pain level with activity: NO PAIN = 0 1 2 3 4 5 6 7 8 9 10 = VERY SEVERE PAIN

Pelvic Floor Distress Inventory Questionnaire - Short Form 20

| | | | If yes, how much does it bother you? | | | |
|-----|--|-----------------|--------------------------------------|------------|------------|-------------|
| | | | Not at all | Somewhat | Moderately | Quite a bit |
| 1. | Do you usually experience pressure in the lower abdomen? | □ No (0) | (1) | ☐ (2) | ☐ (3) | (4) |
| 2. | Do you usually experience heaviness or dullness in the lower abdomen? | □ No (0) | ☐ (1) | ☐ (2) | ☐ (3) | (4) |
| 3. | Do you usually have a bulge or something falling out that you can see or feel in the vaginal area? | □ No (o) | (1) | ☐ (2) | ☐ (3) | (4) |
| 4. | Do you usually have to push on the vagina or around the rectum to have a complete bowel movement? | □ No (0) | (1) | ☐ (2) | ☐ (3) | (4) |
| 5. | Do you usually experience a feeling of incomplete bladder emptying? | □ No (0) | ☐ (1) | ☐ (2) | (3) | ☐ (4) |
| 6. | Do you ever have to push up in the vaginal area with your fingers to start or complete urination? | □ No (o) | (1) | ☐ (2) | ☐ (3) | (4) |
| 7. | Do you feel you need to strain too hard to have a bowel movement? | □ No (0) | ☐ (1) | ☐ (2) | ☐ (3) | ☐ (4) |
| 8. | Do you feel you have not completely emptied your bowels at the end of a bowel movement? | □ No (o) | (1) | ☐ (2) | ☐ (3) | ☐ (4) |
| 9. | Do you usually lose stool beyond your control if your stool is well formed? | □ No (0) | ☐ (1) | ☐ (2) | (3) | (4) |
| 10. | Do you usually lose stool beyond your control if you stool is loose or liquid? | □ No (0) | ☐ (1) | (2) | ☐ (3) | (4) |
| 11. | Do you usually lose gas from the rectum beyond your control? | □ No (0) | ☐ (1) | ☐ (2) | ☐ (3) | (4) |

| 12. | Do you usually have pain when you pass your stool? | □ N o (0) | (1) | (2) | ☐ (3) | (4) | |
|---|---|------------------|------------|------------|------------|------------|--|
| 13. | Do you experience a strong sense of urgency and have to rush to the bathroom to have a bowel movement? | □ No (o) | (1) | ☐ (2) | (3) | (4) | |
| 14. | Does part of your stool ever pass through the rectum and bulge outside during or after a bowel movement? | □ No (o) | ☐ (1) | ☐ (2) | (3) | ☐ (4) | |
| 15. | Do you usually experience frequent urination? | □ No (0) | [] (1) | ☐ (2) | ☐ (3) | (4) | |
| 16. | Do you usually experience urine leakage associated with a feeling of urgency; that is, a strong sensation of needing to go to the bathroom? | □ No (o) | (1) | ☐ (2) | (3) | (4) | |
| 17. | Do you usually experience urine leakage related to laughing, coughing, or sneezing? | □ No (o) | [] (1) | ☐ (2) | ☐ (3) | ☐ (4) | |
| 18. | Do you usually experience small amounts of urine leakage (that is, drops)? | □ No (o) | ☐ (1) | ☐ (2) | ☐ (3) | (4) | |
| 19. | Do you usually experience difficulty emptying your bladder? | □ No (0) | [1) | ☐ (2) | ☐ (3) | ☐ (4) | |
| 20. | Do you usually experience pain of discomfort in the lower abdomen or genital region? | □ No (o) | ☐ (1) | ☐ (2) | ☐ (3) | [] (4) | |
| | | | • | | | | |
| The | erapist Only | | | | | | |
| ICD9 Code: | | | | | | | |
| Comorbidities: | | | | | | | |
| □ Cancer □ Obesity □ Multiple Treatment Areas □ Diabetes □ Heart Condition □ Surgery for this Problem | | | | | | | |
| ☐ Fibromyalgia ☐ High Blood Pressure | | | | | | | |

Barber MD, Walters MD, Bump RC. Short forms of two condition-specific quality-of-life questionnaires for women with pelvic floor disorders (PFDI-20 adn PFIQ-7). Am J Obstet Gynecol 2005;193:103-113.